

Opportunity Matrix for D.J. Jacobetti Home for Veterans

| 2016 | 2017 | 2018 | 2019 | 2020 | 2021 | 2022 | | | | 2023 | | | |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| FY16Q4 | FY17Q4 | FY18Q4 | FY19Q4 | FY20Q4 | FY21Q4 | FY22Q1 | FY22Q2 | FY22Q3 | FY22Q4 | FY23Q1 | FY23Q2 | FY23Q3 | FY23Q4 |

Performance Summary

| | | | | | | | | | | | | | | |
|------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Quality Quintile Performance | 3 | 5 | 4 | 4 | 3 | 3 | 3 | 3 | 2 | 2 | 2 | 2 | 2 | 2 |
|------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

Quality Measures

| | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Percent of residents whose need for help with activities of daily living has increased (LS) | 3 | 5 | 3 | 3 | 3 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 |
| Percent of residents who self-report moderate to severe pain (LS) | 1 | 3 | 5 | 4 | 4 | 2 | | | | | | | | |
| Percent of high-risk residents with pressure ulcers (LS) | 5 | 5 | 5 | 4 | 4 | 3 | 2 | 1 | 2 | 1 | 1 | 1 | 1 | 1 |
| Percent of residents who lose too much weight (LS) | 4 | 4 | 4 | 4 | 4 | 3 | 4 | 3 | 3 | 2 | 2 | 2 | 3 | 3 |
| Percent of low risk residents who lose control of their bowel or bladder (LS) | 2 | 2 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 1 |
| Percent of residents who have/had a catheter inserted and left in their bladder (LS) | 3 | 4 | 4 | 4 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 |
| Percent of residents with a urinary tract infection (LS) | 3 | 4 | 5 | 4 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 2 | 2 | 2 |
| Percent of residents who have depressive symptoms (LS) | 5 | 5 | 5 | 5 | 4 | 3 | 3 | 2 | 3 | 3 | 2 | 3 | 3 | 3 |
| Percent of residents who were physically restrained (LS) | 5 | 5 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| Percent of residents experiencing one or more falls with major injury (LS) | 2 | 5 | 3 | 5 | 5 | 4 | 3 | 3 | 3 | 3 | 2 | 2 | 2 | 3 |
| Percent of residents assessed and appropriately given seasonal influenza vaccine (LS) | 4 | 5 | 4 | 1 | 3 | 3 | 3 | 3 | 3 | 1 | 1 | 1 | 1 | 1 |
| Percent of residents assessed and appropriately given Pneumococcal vaccine (LS) | 3 | 1 | 2 | 4 | 4 | 2 | 2 | 3 | 3 | 3 | 3 | 2 | 2 | 1 |
| Percent of residents who received an antipsychotic medication (LS) | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 5 | 5 | 5 | 5 | 4 | 4 | 4 |
| Percent of residents who self-report moderate to severe pain (SS) | 3 | 4 | 4 | 4 | 4 | 1 | | | | | | | | |
| Percent of residents with pressure ulcers that are new or worsened (SS) | 5 | 5 | 5 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| Percent of residents assessed and appropriately given seasonal influenza vaccine (SS) | 4 | 4 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 4 | 4 | 4 | 4 | 3 |
| Percent of residents assessed and appropriately given Pneumococcal vaccine (SS) | 3 | 3 | 2 | 4 | 2 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 1 | 1 |
| Percent of residents who newly received an antipsychotic medication (SS) | 2 | 1 | 4 | 4 | 1 | 5 | 5 | 4 | 2 | 2 | 2 | 2 | 2 | 4 |
| Percentage of residents whose ability to move independently worsened (LS) | | | 4 | 3 | 2 | 3 | 3 | 2 | 3 | 3 | 3 | 4 | 5 | 5 |
| Percentage of long-stay residents who received an antianxiety or hypnotic medication (LS) | | | 1 | 2 | 2 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| Percentage of long-stay residents who have had a fall during their episode of care (LS) | 2 | 5 | 5 | 5 | 5 | 4 | 4 | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| Percentage of long-stay residents who are receiving antianxiety/hypnotics but do not have evidence of psychotic or related conditions in the target period (LS) | 3 | 2 | 2 | 3 | 3 | 3 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| Percentage of long-stay residents who have behavior symptoms that affect others during the target period (LS) | 1 | 2 | 3 | 2 | 4 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 |

Red - 5th Quintile; Orange - 4th; Yellow - 3rd; Green - 2nd; Blue - 1st Quintile

(*) Quality Composite for this quarter was calculated using only Long Stay measures.